Date: User: Friday, 23/05/2008 9:56:51 AM

Julie Lecocq

Process Sheet

Customer

: CU-DAR001 Dart Helicopters Services

Job Number

: 39446

Type

S.O. No. :

Estimate Number

: 11202

P.O. Number This Issue

: 23/05/2008

: NC Prsht Rev.

: // First Issue : 37640 **Previous Run**

Written By

Checked & Approved By

Comment

A05.01.13 New Issue KJ/JLM

Est

est В 07.05.14 revC dwg

: LARGE FAB ASSY

C 07.12.19 Rev D ecn1085

Drawing Name

: FRAME WELDMENT

Part Number

: D3330041 : D3330 REV D

Drawing Number Project Number

: N/A

Drawing Revision

: D

Material

Due Date

: 30/06/2008

Qty:

4 Um:

Each

Additional Product

Job Number:



Seq. #: 1.0

Panel

Description:

EC

D33301

Comment: Qty.: 1.0000 Each(s)/Unit

4.0000 Each(s)

Panel Pick:

Part Number Description Batch 1 D3330-1

Panel

2.0

D33302

Comment: Qty.:

1.0000 Each(s)/Unit

Total:

Total:

4.0000 Each(s)

Panel

Pick:

Qty Part Number Description

D3330-2

Panel

Batch

3.0

D33303

Total: 4.0000 Each(s) 1.0000 Each(s)/Unit

Comment: Qty.:

Panel Pick:

Qty

Description Part Number Panel

4.0

1 D33305

Comment: Qty.:

D3330-3

1.0000 Each(s)/Unit Total:

Batch

4.0000 Each(s)

Rail Pick:

Qty Part Number

Description

B36011

Page 1

W/O:			WC	RK ORDER CHANG	ES				
DATE	STEP	PRO	OCEDURE CHAI	NGE	Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector
				·					
Part No):	PAR #:	Fault Cate	Jory:					
							d:	Date:	
NCR:			WORK ORD	ER NON-CONFORMA	NCE (NCR	R)			
DATE	STEP	Description of NC	Corrective Action Section			Verific	cation	Approval	Approval
DAIL	OILI	Section A	Initial Chief Eng	Action Description Chief Eng	Sign & Date	Verification Section C	on C	Chief Eng	QC Inspector
									•

Friday, 23/05/2008 9:56:52 AM Date: User: . Julie Lecocq **Process Sheet Drawing Name: FRAME WELDMENT** Customer: CU-DAR001 Dart Helicopters Services Job Number: 39446 Part Number: D3330041 Job Number: Description: Seq. #: **Machine Or Operation:** D3330-5 Panel 1 D33307 Panel 5.0 Comment: Qty.: 1.0000 Each(s)/Unit Total: 4.0000 Each(s) Panel Pick: Part Number Description Batch Qty B37081 Panel 1 D3330-7 6.0 D33309 Comment: Qty.: 1.0000 Each(s)/Unit Total: 4.0000 Each(s) Top Plate Pick: Description Batch Qty Part Number D3330-9 Panel 1 D333011 7.0 Long Pin Bracket 4.0000 Each(s) Comment: Qty.: 1.0000 Each(s)/Unit Total: Long Pin Bracket Pick: Qty Part Number Description Batch Long Pin Bracket D3330-11 1 D333013 8.0 Comment: Qty.: 1.0000 Each(s)/Unit Total: 4.0000 Each(s) Short Pin Bracket Pick: Description Qty Part Number Short Pin Bracket D3330-13 1 D333015 9.0 Comment: Qty.: 1.0000 Each(s)/Unit Total: 4.0000 Each(s) Handle Pick: Qty Part Number Description Batch St 08/06/02 37080 D3330-15 Handle

DuitAu	oopaot	Lta						
W/O:			WC	RK ORDER CHANG	ES			
DATE	STEP	PR	OCEDURE CHAI	NGE	Ву	Date Q	Approval Chief Eng / Prod Mgr	Approval QC Inspector
<u>. </u>								
Part No	:	PAR #:	Fault Cateç	gory:	_ NCR: Yes	No DQA:_	Date: _	
							Date: _	
NCR:			WORK ORDE	R NON-CONFORMA	NCE (NCR)		
DATE	OTED	Description of NC		Corrective Action Secti		Verification	on Approval	Approval
DATE	STEP	Section A	Initial Chief Eng	Action Description Chief Eng	Sign & Date	Verification Section C		QC Inspector

Date: Friday, 23/05/2008 9:56:52 AM User: (Julie Lecocq **Process Sheet Drawing Name: FRAME WELDMENT** Customer: CU-DAR001 Dart Helicopters Services Job Number: 39446 Part Number: D3330041 Job Number: Description: Seq. #: **Machine Or Operation:** D333017 Handle Socket 10.0 Comment: Qty.: 1.0000 Each(s)/Unit Total: 4.0000 Each(s) Handle Socket Pick: Qty Part Number Description Handle Socket 1 D3330-17 D333019 11.0 Comment: Qty.: Total: 4.0000 Each(s) 1.0000 Each(s)/Unit Handle Rim Pick: Qty Part Number Description Batch D3330-19 Handle Rim ARGE FABRICATION RESOURCE 1 12.0 LARGE FAB Comment: LARGE FABRICATION RESOURCE 1 Assemble and Weld as per Dwg Dwg D3330 using D3330-041T1 08/06/05 Identify as D3330-041 VISUAL WELDING INSPECTION QC9 13.0 **Comment: VISUAL WELDING INSPECTION** S 3-06-10 INSPECT WORK TO CURRENT STEP 14.0 QC5 **Comment: INSPECT WORK TO CURRENT STEP** POWDER COATING POWDER COATING 15.0 Comment: POWDER COATING

Powder Coat Fire Red (Ref: 4.3.5.10) as per QSI 005 4.3

START TIME:

OVEN TEMPERATURE: 330 5 G-W

m/ 08/06/12

Dart Ae	rospace	Ltd							
W/O:			WC	ORK ORDER CHANGES	3				
DATE	STEP	PRO	OCEDURE CHA	NGE	Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector
Part No):	PAR #:	Fault Cate	gory:	NCR: Yes	No DQ	A:	Date: _	
					QA: N	/C Close	d:	_ Date: _	
NCR:			WORK ORDI	ER NON-CONFORMAN	CE (NCR	.)			
		Description of NC		Corrective Action Section I		Verifi	cation	Approval	Approval
DATE	STEP	Section A	Initial Chief Eng	Action Description Chief Eng	Sign & Date	Sect		Chief Eng	QC Inspector

Date:

Friday, 23/05/2008 9:56:52 AM

User: •

Julie Lecocq

Process Sheet

Customer: CU-DAR001 Dart Helicopters Services

Drawing Name: FRAME WELDMENT

Job Number: 39446

Part Number: D3330041

Job Number:



Seq. #:

Machine Or Operation:

Description:

16.0

QC3

INSPECT POWDER COAT/CHEMICAL CONVERSION



Comment: INSPECT POWDER COAT/CHEMICAL CONVERSION

17.0

PACKAGING 1

PACKAGING RESOURCE #1



Comment: PACKAGING RESOURCE #1

Identify and Stock

Location:

18.0

QC21

FINAL INSPECTION/W/O RELEASE



08/06/12 (21)

Comment: FINAL INSPECTION/W/O RELEASE

Job Completion




4 08/26/2

W /O:		WORK ORDER C	WORK ORDER CHANGES								
DATE	STEP	PROCEDURE CHANGE	Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector				
Part No	:	PAR #: Fault Category:	NCR: Yes	No DQ	 A :	Date:					

QA: N/C Closed: ____ Date: ____

NCR:			WORK ORDER NON-CONFORMANCE (NCR)									
		Description of NC		Corrective Action Section B								
DATE	STEP	Section A	Initial Chief Eng	Action Description Chief Eng	Sign & Date	Verification Section C	Approval Chief Eng	Approval QC Inspector				
					,							




COPYRIGHT © 2004 BY DART AEROSPACE LTD

Dait Ac	103pace L	tu .							
W/O:			WC	ORK ORDER CHANGES	3				
DATE	STEP	PR	PROCEDURE CHANGE			Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector
Part No	:	PAR #:	Fault Cateç	gory:					
NCR:			WORK ORDE	ER NON-CONFORMAN			a:	Date:	
		Description of NC		Corrective Action Section	ection B		4!	A ======	Ammayal
DATE	STEP	Section A	Initial Chief Eng	Action Description Chief Eng	Sign & Date			Approval Chief Eng	Approval QC Inspector
	1		į l			1		I	1



DESIGN	DRAWN BY	DART AEROSP HAWKESBURY, ONTAR	
CHECKED	APRROVED)	DRAWING NO.	REV. D
45	1 1/1	D3330	SHEET 2 OF 9
DATE		TITLE	SCALE
07.12.06		FRAME WELDMENT	1:4



D3330-1 PANEL

SHOP COPY RETURN TO

ENGINEERING

UNCONTROLLED OPY SUBJECT TO AMENDMENT

WITHOUT NOTICE

NOTES:

1) MATERIAL: AISI 1010-1025 OR ASTM A36/A366/A1008 OR CSA G40-21, 38W/44W/50W/60W/70W SERIES STEEL 11 GAUGE (0.125 THICK)

- 2) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 3) ALL DIMENSIONS ARE INCHES
- 4) BREAK ALL SHARP EDGES 0.005 TO 0.010


Copyright © 2004 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

Dart Ae	rospace	Ltd							
W/O:			WC	ORK ORDER CHANGES	3				
DATE	STEP	PRO	OCEDURE CHA	NGE	Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector
Part No	:	PAR #:	Fault Cate	gory: I	NCR: Yes	No DQ	A:	Date:	
								Date: _	
NCR:			WORK ORDI	ER NON-CONFORMAN	CE (NCF	2)			
		Description of NC		Corrective Action Section E	3	Verific	cation	Approval	Approval
DATE	STEP	Section A	Initial Chief Eng	Action Description Chief Eng	Sign & Date	Secti		Chief Eng	QC Inspector
<u> </u>									



DESIGN 123	DRAWN BY	DART AEROSF HAWKESBURY, ONTAR	
CHECKED	APPROVE(F)	DRAWING NO.	REV. D
13	M	D3330	SHEET 3 OF 9
DATE		TITLE	SCALE
07.12.06		FRAME WELDMENT	1:4



D3330-1 BEND DETAIL (SHOWN)

BEND D3330-2 (OPPOSITE)

ENGINEERING UNCONTROLLED COPY SUBJECT TO AMENDMENT WITHOUT NOTICE

Copyright © 2004 by DART AEROSPACE LTD


THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

									
W/O:			WC	ORK ORDER CHANGE	S				
DATE	STEP	PRO	OCEDURE CHA	NGE	Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector
	:								
							1		
Part No	:	PAR #:	Fault Cate	gory:	NCR: Yes	No DQ	\ :	Date:	
					QA: N	/C Closed	l:	_ Date: _	···
NCR:			WORK ORDI	ER NON-CONFORMAN	ICE (NCR	2)			
DATE	CTED	Description of NC Corrective Action Se				Verific	ation	Approval	Approval
DATE	STEP	Section A	Initial Chief Eng	Action Description Chief Eng	Sign & Date	Verification Section C		Chief Eng	QC Inspector



DESIGN 3	DRAWN BY	DART AEROSF HAWKESBURY, ONTAR	· · · - · - · · - · · · · · ·
CHECKED	APRROVED	DRAWING NO.	REV. D
13	1 WH	D3330	SHEET 4 OF 9
DATE		TITLE	SCALE
07.12.06		FRAME WELDMENT	1:4

RELEASED OT. PLOT /M



D3330-3 PLATE

SHOP COPY RETURN TO **ENGINEERING** UNCONTROLLED COPY SUBJECT TO AMENDME VI WITHOUT NOTICE

NOTES:

- WORK ORDER 1) MATERIAL: AISI 1010-1025 OR ASTM A36/A366/A1008 OR CSA G40-21, WASTERIAL: AISI 1010-1025 OR ASTM A36/A366/A1008 OR CSA G40-21, WASTERIAL: AISI 1010-1025 OR ASTM A36/A366/A1008 OR CSA G40-21, WASTERIAL: AISI 1010-1025 OR ASTM A36/A366/A1008 OR CSA G40-21, WASTERIAL: AISI 1010-1025 OR ASTM A36/A366/A1008 OR CSA G40-21, WASTERIAL: AISI 1010-1025 OR ASTM A36/A366/A1008 OR CSA G40-21, WASTERIAL: AISI 1010-1025 OR ASTM A36/A366/A1008 OR CSA G40-21, WASTERIAL: AISI 1010-1025 OR ASTM A36/A366/A1008 OR CSA G40-21, WASTERIAL: AISI 1010-1025 OR ASTM A36/A366/A1008 OR CSA G40-21, WASTERIAL: AISI 1010-1025 OR ASTM A36/A366/A1008 OR CSA G40-21, WASTERIAL: AISI 1010-1025 OR ASTM A36/A366/A1008 OR CSA G40-21, WASTERIAL: AISI 1010-1025 OR ASTM A36/A366/A1008 OR CSA G40-21, WASTERIAL: AISI 1010-1025 OR ASTM A36/A366/A1008 OR CSA G40-21, WASTERIAL: AISI 1010-1025 OR ASTM A36/A366/A1008 OR CSA G40-21, WASTERIAL: AISI 1010-1025 OR ASTM A36/A366/A1008 OR CSA G40-21, WASTERIAL: AISI 1010-1025 OR ASTM A36/A366/A1008 OR CSA G40-21, WASTERIAL: AISI 1010-1025 OR ASTM A36/A366/A1008 OR CSA G40-21, WASTERIAL: AISI 1010-1025 OR ASTM A36/A366/A1008 OR CSA G40-21, WASTERIAL: AISI 1010-1025 OR ASTM A36/A366/A1008 OR CSA G40-21, WASTERIAL: AISI 1010-1025 OR ASTM A36/A366/A1008 OR CSA G40-21, WASTERIAL: AISI 1010-1025 OR ASTM A36/A366/A1008 OR CSA G40-21, WASTERIAL: AISI 1010-1025 OR ASTM A36/A366/A1008 OR CSA G40-21, WASTERIAL: AISI 1010-1025 OR ASTM A36/A366/A1008 OR CSA G40-21, WASTERIAL: AISI 1010-1025 OR ASTM A36/A366/AISI 1010-1025 OR ASTM A36/AISI 1010-1025 OR ASTM
- 2) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 3) ALL DIMENSIONS ARE IN INCHES
- 4) BREAK ALL SHARP EDGES 0.005 TO 0.010

Copyright © 2004 by DART AEROSPACE LTD


THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

W/O:			WORK ORDER CHANGES								
DATE	STEP		PROCEDURE CHANGE	Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector			
Part No	:	PAR #: _	Fault Category:	NCR: Y	es No DQ	A:	Date: _				
				QA	: N/C Close	d:	Date: _				

NCR:		WORK ORDER NON-CONFORMANCE (NCR)								
		Description of NC		Corrective Action Section E	3	Verification	Ammanal	Annroyal		
DATE	STEP	Section A	Initial Chief Eng	Action Description Chief Eng	Sign & Date	Section C	Approval Chief Eng	Approval QC Inspecto		
								:		
					:					
	ate & initial all									



DESIGN 3	DRAWN BY	DART AEROS HAWKESBURY, ONTA	
CHECKED	APPROVED	DRAWING NO.	REV. D
13	M	D3330	SHEET 5 OF 9
DATE		TITLE	SCALE
07.12.06		FRAME WELDMENT	1:4



FLAT PATTERN

NOTES:

SHOP COPY RETURN TO

1) MATERIAL: AISI 1010-1025 OR ASTM A36/A366/A1008 OR CSA G40-21 ENGINEERING 38W/44W/50W/60W/70W SERIES STEEL 11 GAUGE (0.125 THICK ONTROLLED COPY

2) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED

SUBJECT TO AMENDMENT

3) ALL DIMENSIONS ARE IN INCHES

WITHOUT NOTIC

4) BREAK ALL SHARP EDGES 0.005 TO 0.010


Copyright © 2004 by DART AEROSPACE LTD


THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

W/O:		WORK ORDER CHANGES								
DATE	STEP	PROCEDURE CHANGE	Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector			
Part No		PAR #: Fault Category:	NCR: Yes	No DQ	A:	Date: _				
			QA:	N/C Close	d:	_ Date: _				

NCR:		WORK ORDER NON-CONFORMANCE (NCR)								
		Description of NC		Corrective Action Section E	3	Verification	Annessal	Approval QC Inspector		
DATE	STEP	Section A	Initial Chief Eng	Action Description Chief Eng	Sign & Date	Section C	Approval Chief Eng			
!										
		Il entries								







FLAT PATTERN

NOTES:

SHOP COPY RETURN TO

1) MATERIAL: AISI 1010-1025 OR ASTM A36/A366/A1008 OR CSA G40-21, ENGINEERING 38W/44W/50W/60W/70W SERIES STEEL 11 GAUGE (0.125 THICK ONTROLLED COPY

ENGINEERING

2) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED

SUBJECT TO AMENDMENT WITHOUT NOTIO

3) ALL DIMENSIONS ARE IN INCHES

4) BREAK ALL SHARP EDGES 0.005 TO 0.010

Copyright © 2004 by DART AEROSPACE LTD


THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.


Dart Ae	rospace Lt	td							
W/O:			WC	ORK ORDER CHANGES				 ,	
DATE	STEP	PR	OCEDURE CHA	NGE	Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector
									1
Part No	:	PAR #:	Fault Cate	gory: N	CR: Yes	No DQ	A:	Date:	
					QA: N	/C Close	d:	_ Date: _	
NCR:			WORK ORDI	ER NON-CONFORMANC	E (NCR	(1)			
DATE	CTED	Description of NC		Corrective Action Section B		Verific	fication	Approval	Approval
DATE	STEP	Section A	Initial Chief Eng	Action Description Chief Eng	Sign & Date	Secti		Chief Eng	QC Inspector


NCR:		WORK ORDER NON-CONFORMANCE (NCR)								
		Description of NC		Corrective Action Section E		Verification	Annroyal	Approval QC Inspector		
DATE	STEP	Section A	Initial Chief Eng	Action Description Chief Eng	Sign & Date	Section C	Approval Chief Eng			
								·		



DESIGN	DRAWN BY	DART AEROSP HAWKESBURY, ONTAR	·
CHECKED	APPROVED.	DRAWING NO. D3330	REV. D SHEET 7 OF 9
DATE	 	TITLE	SCALE
07.12.06		FRAME WELDMENT	1:2







↑ D3330-9 TOP PLATE

NOTES:

1) MATERIAL: AISI 1010-1025 OR ASTM A36/A366/A1008, 0.375 STEEL

(REF. DART SPEC. M1010-B0.375x3.500)

- 2) MATERIAL: AISI 1018-1025 ROUND BAR PER MIL-S-7097 (REF. DART SPEC. M1018-R0.375)
- 3) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) ALL DIMENSIONS ARE IN INCHES
- 5) BREAK ALL SHARP EDGES 0.005 TO 0.010

SHOP COPY RETURN TO ENGINEERING UNCONTROLLED COPY SUBJECT TO AMENDME VT WITHOUT NOTICE


Copyright © 2004 by DART AEROSPACE LTD.


THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

W/O:		WORK ORDER CH	WORK ORDER CHANGES								
DATE	STEP	PROCEDURE CHANGE	Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector				
Part No	•	PAR #: Fault Category:	NCR: Yes	No DQ	A:	Date: _					
			QA: I	N/C Close	d:	Date:					


NCR:		WORK ORDER NON-CONFORMANCE (NCR)								
	T	Description of NC		Corrective Action Section B		Verification	Approval	Annroyal		
DATE	STEP	Section A	Initial Chief Eng	Action Description Chief Eng	Sign & Date	Sign & Section C		Approval QC Inspector		







D3330-17 HANDLE SOCKET



D3330-19 HANDLE RIM

NOTES:

- 1) MATERIAL: 1010-1025 ROUND BAR STEEL PER MILL-S-7097 (REF. DART SPEC. M1025TR)
- 2) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 3) ALL DIMENSIONS ARE INCHES
- 4) BREAK ALL SHARP EDGES 0.005 TO 0.010

SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDME IT
WITHOUT NOTICE
WORK ORDER

Copyright © 2004 by DART AEROSPACE LTD


THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.


W /O:		WORK ORDER CHANGES									
DATE	STEP		Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector				
Part No	:	PAR #: _	Fault Category:	NCR: Ye	s No DQ	A:	Date:				
				04	N/C Close	d.	Data:				

NCR:		WORK ORDER NON-CONFORMANCE (NCR)								
		Description of NC		Corrective Action Section B		Verification	A	Approval QC Inspector		
DATE	STEP	Section A	Initial Chief Eng	Action Description Chief Eng	Sign & Date	Section C	Approval Chief Eng			
						!				
							1			




DESIGN	DRAWN BY	DART AEROSP HAWKESBURY, ONTA	
CHECKED	APPROVED /	DRAWING NO.	REV. D
<u> </u>	M	D3330	SHEET 9 OF 9
DATE		TITLE	SCALE
07.12.06		FRAME WELDMENT	· 1:3





D3330-13 SHORT PIN BRACKET



SECTION C-C

D3330-11 LONG PIN BRACKET

SHOP COPY RETURN TO ENGINEERING UNCONTROLLED COPY

NOTES:

- 1) MATERIAL: AISI 1010-1025 OR ASTM A36/A366/A569/A570, 1.000 THICK STEELECT TO AMENDMENT (REF. DART SPEC. M1010-B1.000x02.250) WITHOUT NOTICE
- 2) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 3) ALL DIMENSIONS ARE INCHES
- 4) BREAK ALL SHARP EDGES 0.005 TO 0.010

Copyright © 2004 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

Dart Ae	rospace L	.ta						
W/O:			WORK ORDER	CHANGES				
DATE	STEP	PROC	EDURE CHANGE	Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector
Part No	:	PAR #:	_ Fault Category:	NCR: Yes	No DQ	A:	_ Date: _	
				QA:	N/C Close	d:	_ Date: _	
		W	ORK ORDER NON-COM	EODMANCE (NC	D)			

NCR:		WORK ORDER NON-CONFORMANCE (NCR)									
DATE		Description of NC Section A	Corrective Action Section B			Verification	Approval	Approval			
	STEP		Initial Chief Eng	Action Description Chief Eng	Sign & Date	Section C	Chief Eng	QC Inspector			